

EasyIP 10 Base Kit with Professional IP PTZ Camera SKU: 999-30201-001





The EasyIP 10 Base Kit is an AV-over-IP PTZ camera and conferencing system in a box. It delivers professional-quality conference feeds for UC soft clients and simplifies the BYOD conferencing experience by moving videoconferencing onto the network.

This networked videoconferencing system allows you to use up to four PTZ cameras in your meeting room, without needing a video switch. It's a simple AV-over-IP solution for extended and networked conferencing in meeting rooms, boardrooms and training rooms alike. The EasyIP 10 Base Kit includes everything you need to get started with AV-over-IP conferencing in one easy-to-order bundle including one EasyIP Camera, one EasyIP Decoder and one Luxul network switch.

Key Features:

- Designed for flexible configuration in small, medium and large conference rooms
- [•] Ideal for spaces with room dividers or partitions
- Provides USB 3.0 connection to leading web services: Teams/Skype for Business, Zoom, WebEx, BlueJeans, Google Meet and others

Do you need more zoom? Do you need an HDMI signal to feed into an EasyIP Mixer PIP? Check out the EasyIP 20 Base Kit. If you still aren't sure, give us a call!

The EasyIP 10 Base Kit is an AV-over-IP PTZ camera and conferencing system in a box. It delivers professional-quality conference feeds for UC soft clients and simplifies the BYOD conferencing experience by moving videoconferencing onto the network. The EasyIP 10 Base Kit includes everything you need to get started with AV-over-IP conferencing in one easy-to-order bundle including the IP PTZ camera.



Vaddio Deployment Tool

Easily deploy and manage hundreds of conference rooms with the free desktop application. Download Now

This Package Includes:

- ^e EasyIP 10 IP PTZ Camera (black or white)
- * Thin Profile Wall Mount (black or white) with mounting hardware
- Vaddio IR Remote Commander
- * EasyIP Switch
- * Rack mount kit (for mounting the EasyIP Switch)
- EasyIP Decoder
- * Half-Rack mounting kit (for mounting the EasyIP Decoder into a full rack space)
- ¹ 10 ft (3.05m) cat-5e snagless Cable, black
- 3 ft (0.91 m) cat-5e cable
- [•] 6 ft (1.8 m) USB 3.0 cable
- ¹ 1 qty 4-position phoenix-style connector
- Power cord (for EasyIP Switch)
- Quick-start cards

Training

Discover the power of EasyIP and revolutionize your AV setup. This course dives into the essentials of AV over IP, showcasing how EasyIP simplifies your installations and enhances your conferencing experiences. Enroll in this course in AV University

Total Pixels: 2.14 Megapixel

Specifications

Dimensions &	Operating Temperature	32° to 104°F (0° to 40°C)
Measurements		
Characteristics & Features	Camera Type	PTZ
	Color	Black
	Compatible With	Vaddio
	Estimated Room Size	Medium Room Small Room
	Field of View	67° Wide End to 7.6° Tele End
	Field of View Wide	Greater than 70
	Focus System	Auto Manual
	Gain	Auto Manual
	Image Sensor Type	1 28 Exmor CMOS
	Invertible	Yes
	Manufacturer	Vaddio

Max Resolution	1080p 60	
Minimum Illumination	0.4 Lux (F1.6)	
OneLINK Compatibility	No	
Pan and Tilt Range	• Tilt: +90· to -30° • Pan: ±165°	
Pan and Tilt Speed	0.35°/sec - 90°/sec	
Pixels	2.14 Megapixel	
Power Cord	EU Cord, UK Cord	
Power Supply	PoE+	
Power Type	PoE+	
Preset Positions	16 Custom Home Position	
PTZ Motors	Stepper Motors	
Quick-Connect Compatibility	No	
Signal Type	EasylP	
Solution Type	Camera Only	
TAA Compliant	Yes	
Tri-Sync Motion	No	
White Balance	AutoManualOne Push	
Zoom	10x	
Certifications	• CE • FCC • TAA	

3 years

Certifications & Warranties

Warranty

Source: https://www.legrandav.com/products/cameras/av_over_ip/easyip-10-base-kit/999-30201- 001