

EasyIP 30 ePTZ Camera **SKU: 999-30250-000**



The EasyIP 30 ePTZ Camera is a low-profile professional camera that makes video collaboration and streaming classes effortless. Equipped with IntelliFrame™ technology, the EasyIP 30 ePTZ camera delivers smooth, lifelike auto-framing and presenter tracking. Installers and users can fine-tune IntelliFrame settings to optimize speed, sensitivity, and framing preferences for classrooms and collaboration spaces. Pro AV Integrators can adjust the experience based on the room conditions and user's preferences. The EasyIP 30 ePTZ Camera adds a new auto-framing camera option to the highly popular EasyIP Ecosystem from Vaddio.

Key Features:

- Advanced Intelligent Framing algorithms keep your participants in view
- HD ePTZ camera with 30x zoom and up to 70.2 degree field of view
- One EasyIP (Network PoE+) video output
- EasyIP Multicast enables video distribution to any number of EasyIP endpoints

Vaddio's EasyIP 30 ePTZ camera features IntelliFrame™ technology, delivering precise auto-framing and motion tracking. Unlike facial recognition-based systems that struggle with masks or misidentify background objects, IntelliFrame leverages highly sensitive motion detection and advanced algorithms to keep participants in view. Installers and users can fine-tune IntelliFrame's speed, sensitivity, image size, and

same instant—audio speed, sensitivity, image size, and responsiveness to movement via the web interface.

You're in Control

AV Integrators can now promise personalized video performance with every installation. IntelliFrame is fine-tuned remotely by support staff through the web interface.

- Define maximum zoom levels to ensure optimal image resolution
- Define how often the frame of view adjusts and moves
- Control how quickly the system adapts to people entering and exiting

We know there are situations where a user wants complete control of the room. So we made it easy to override IntelliFrame by simply steering the camera with the provided remote.

Stunning and Smooth Video Quality

The EasyIP 30 ePTZ is perfect for classrooms and conference rooms with a 30x zoom and exceptional image quality—capture professors and students from across the room in exquisite detail with our professional-grade image sensor. The camera excels in unstable lighting conditions commonly found in large auditoriums or meeting rooms with bright sunlight or shadows. The EasyIP 30 ePTZ offers 20x true optical zoom and achieves 30x with IntelliZoom™ Image Processing. We have included the same IntelliZoom Image Processing found in our award-winning RoboSHOT Elite series of cameras, ensuring great video at any zoom level.

EasyIP Delivers Cost Effective and Easy Extension

Send audio and full HD feeds to an EasyIP Decoder, EasyIP Mixer, or EasyIP Dock for delivery to web-based conferencing solutions, or to an EasyIP Tx/Rx for an HDMI output. All endpoints connect through a 1 Gb PoE+ switch—eliminating the need for costly USB extensions and making it easy to integrate audio.



Vaddio Deployment Tool

Easily deploy and manage hundreds of conference rooms with the free desktop

[Vaddio Deployment Tool](#)

This Package Includes:

- EasyIP 30 ePTZ Camera (black or white)
- On-wall mount and hardware (black or white)
- Cable cover (black or white)
- Vaddio RF Remote Commander
- 3.3 ft. (1m) Cat-5e cable
- Quick-Start Card

Training
Discover the power of EasyIP and revolutionize your AV setup. This course dives into the essentials of AV over IP, showcasing how EasyIP simplifies your installations and enhances your conferencing experiences. Enroll in this course in AV University

Specifications

Dimensions & Measurements	Depth	4.5 in (11.4 cm)
	Height	8.38 in (21.3 cm)
	Operating Temperature	32° to 104°F (0° to 40°C)
	Product Weight	4.25 lbs (1.9 kg)
	Shipping Dimensions	14" x 13" x 13" (355.6 x 330.2 x 330.2 mm)
	Shipping Weight	9 lbs (4.1 kg)
	Storage Temperature	32° to 104°F (0° - 40°C)
	Width	6 in (15.2 cm)

Characteristics &	Browser-based User Interface for Remote Control	Built-in
------------------------------	---	----------

Features

Interface for Remote Control	
Camera Type	Fixed
Color	Black
Control Method	<ul style="list-style-type: none">• Touch Screen• Web UI
Estimated Room Size	<ul style="list-style-type: none">• Large Room• Medium Room
Field of View	70.2° Wide End to 3.1° Tele End
Field of View Wide	Greater than 70
Focus System	<ul style="list-style-type: none">• Auto• Manual
Gain	<ul style="list-style-type: none">• Auto• Manual
Image Sensor Type	1/2.5-type Exmor R CMOS sensor
Input Ports	Network
Invertible	Yes
Manufacturer	Vaddio
Max Resolution	1080p30
Minimum Illumination	100 lux recommended
OneLINK Compatibility	No
Output Ports	Network
Pixels	8.51 Megapixel
Power Supply	PoE+
Power Type	PoE+
Preset Positions	16 Custom Home Position
Quick-Connect Compatibility	No
Signal Type	EasvIP

Signal Type	EasyIP
Solution Type	Camera Only
Special Features	Auto-Framing
TAA Compliant	Yes
Tri-Sync Motion	No
UPC	840077507237
White Balance	<ul style="list-style-type: none"> • Auto • Manual • One Push
Zoom	30x zoom, 20x optical zoom and 10x IntelliZoom

Certifications & Warranties

Certifications	<ul style="list-style-type: none"> • CE • FCC • RoHS • TAA
Warranty	3 years

Source: https://www.legrandav.com/products/cameras/av_over_ip/easyip-30-eptz-camera/999-30250-000