

EasyIP PCC **SKU: 999-57755-000**



Vaddio's EasyIP PCC, Precision Camera Controller, is a low-cost and ergonomic joystick for controlling up to four EasyIP cameras.

Key Features:

- Precise PTZ control with three-axis industrial-grade
 Hall effect joystick
- * Control up to four EasyIP cameras with a userdefined home position plus four presets per camera
- Low-profile, weighted steel chassis with soft feet for stability on any surface
- * HDMI output displays decoded IP stream video from the selected EasyIP camera

EasyIP PCC provides production-grade control for smaller studios or cost-conscious environments.

Seamlessly integrate with your new or existing EasyIP system to control up to 4 EasyIP cameras. Pair it with the Vaddio Device Controller for expanded control features. The EasyIP PCC is PoE+ powered and can be used with a managed network switch like those from Luxul. A preconfigured EasyIP Switch can be purchased as a standalone item or as part of an EasyIP Base Kit.

EasyIP PCC elevates your video production with precision and ease while only requiring a minimal desktop footprint. The simple joystick enables users to master camera movements and add production value to any video event. The EasyIP PCC enables the configuration of a customized home position and up to four preset positions for each camera, which can be easily accessed through the controller's four programmable preset buttons and dedicated home button. This makes it simple to capture multiple areas at a variety of angles. Upgrade your productions to the next level with Vaddio's latest EasyIP control technology.



Vaddio Deployment Tool

Easily deploy and manage hundreds of Vaddio devices with the free desktop application. Download Now

This Package Includes:

- EasyIP PCC
- [•] 3 ft (0.9 m) cat-5e cable, black
- [•] Quick-start card

Training

Discover the power of EasyIP and revolutionize your AV setup. This course dives into the essentials of AV over IP, showcasing how EasyIP simplifies your installations and enhances your conferencing experiences. Enroll in this course in AV University

Specifications

| Dimensions & | Depth | 4.75 in (12.1 cm) |
|-----------------------------|-----------------------|--|
| Measurements | Height | 5 in (12.7 cm) |
| | Operating Temperature | 32° to 104°F (0° to 40°C) |
| | Shipping Dimensions | 18" x 11" x 5" (457.2 x 279.4 x 127 mm) |
| | Shipping Weight | 4 lbs (1.8 kg) |
| | Width | 9 in (22.9 cm) |
| Characteristics & Features | 3rd Party Control | Built in |
| | Color | Black |
| | Control Method | without Vaddio Device Controller |
| | Control Type | Camera ControllersJoysticks |
| | Input Ports | EasyIP |
| | Output Ports | HDMI |
| | Power Supply | PoE+ |
| | Power Type | PoE+ |
| | TAA Compliant | Yes |
| | UPC | 840077508357 |
| Certifications & Warranties | Certifications | • CE • FCC • TAA |
| | Warranty | 3 years |

