

## Vaddio Ceiling Speakers SKU: 999-85600-000



Vaddio Ceiling Speakers are sold and packaged in pairs and optimized for easy installation and accurate voice reproduction. Ideal for conference rooms and classrooms.

## Key Features:

- <sup>•</sup> 4 inch, 2-way speaker optimized for vocal clarity
- \*8 ohm nominal impedance
- Ceiling or wall mountable
- Magnetic speaker grille and removable phoenixstyle plug
- Included ceiling tile brace
- \* 88dB SPL 1W/1M nominal sensitivity

The Vaddio Ceiling Speaker is quick and easy to install, featuring a magnetically attached grille for a streamlined appearance. The speaker is optimized so voices sound clear and natural. The 2-way speaker is built with a specially designed coaxially mounted cone tweeter and a high-performance 4" metalized cone woofer with rare-earth neodymium magnets and a neoprene driver surround for durability.

The flush-mounting speakers can be installed in the ceiling or wall and come with a lightweight ceiling tile brace. The air-sealed steel enclosure features a recessed cable cavity and a removable phoenix-style plug. Removing the magnetic, neutral white metal grille reveals convenient baffle-located screws to secure the swivel-out mounting tabs.

## **This Package Includes:**

- <sup>1</sup> 2 qty. Vaddio Ceiling-Mounted Speaker with detachable grille
- <sup>2</sup> qty. Euro-style 4-pin audio connector
- <sup>1</sup> 2 qty. Lightweight aluminum ceiling tile brace
- <sup>•</sup> 2 qty. 28 in. (71 cm) stainless steel safety cable with steel carabiner clips

## **Specifications**

Dimensions 0	0 " T	000 1 40 40 5 (00 1 4000)
Dimensions &	Operating Temperature	32° to 104°F (0° to 40°C)
Measurements	Shipping Dimensions	28" x 13" x 18" (711.2 x 330.2 x 457.2 mm)
	Shipping Weight	24 lbs (10.9 kg)
Characteristics & Features	Application	Ceiling Recessed     In-Wall
reatures	Audio Type	Speaker
	Color	White
	Compatible With	<ul><li>Other</li><li>Vaddio</li></ul>
	Input Ports	Audio
	Manufacturer	Vaddio
	OneLINK Compatibility	No
	Power Type	Passive
	Signal Type	Audio
	TAA Compliant	Yes
	Total Output Power	40W
	UPC	840077506988
Certifications &	Certifications	TAA
Warranties	Warranty	3 years

Source: https://www.legrandav.com/products/audio/speaker/vaddio-ceiling-speaker/999-85600-000	