

ConferenceSHOT AV HD Conference Room System SKU: 999-9995-001B



ConferenceSHOT AV (Camera Only)

Ideal for video conferencing rooms, ConferenceSHOT AV integrates a PTZ camera and audio conferencing mixer into a single USB 3.0 device, so you can easily connect up to two microphones and an external speaker directly to the camera. Easy plug and play functionality with all major UCC soft clients such as Microsoft Teams, Google Meet and Zoom.

This Package Includes:

- * ConferenceSHOT AV camera (Black)
- * Quick-start card
- PoE+ Midspan Power Injector with AC cord set(s)
- * Thin Profile Wall Mount (Black) with mounting hardware and installation manual
- * Vaddio IR Remote Commander with audio controls
- ^o 6 ft (1.8 m) USB 3.0 cable, type A to B
- 10 ft (3 m) cat-5 cable, black
- ¹ 1 qty 4-position phoenix-style connector

This conference room AV system is ideal for small to medium-sized videoconferencing rooms, choose color, power cord, speaker and microphone options to build the perfect ConferenceSHOT AV bundle for your space.

- Powerful: ConferenceSHOT AV integrates a 10x zoom HD PTZ camera and audio conferencing mixer into a single USB 3.0 device, so you can easily connect microphones and an external speaker to the camera. The ConferenceSHOT AV is easy to install and allows simple plug and play functionality with all major UCC soft clients such as Microsoft Teams, WebEx and Google Meet.
- **Simple:** ConferenceSHOT AV is UVC compliant. No external drivers need to be installed on your PC just plug and play. The versatile system supports customized AV designs with third-party equipment or can be deployed as a standalone solution.
- Enterprise-Class: ConferenceSHOT AV allows for remote monitoring, management and control of a distributed camera network. IP-accessible and a browser-based user interface enables both browser control and IP-live preview and setup from PCs, Macs and mobile devices including iPhone, iPad and Android devices.

This USB-based solution makes it easy for your organization to collaborate using your preferred videoconferencing software like Microsoft Teams, Google Meet and more.

ConferenceSHOT AV turns your BYOD device into a small space UC system with professional PTZ camera quality and full room audio performance. It's a significant step up in performance from the current webcam-based technology offerings.

Total Pixels: 2.14 Megapixel

Specifications

Dim	ensi	ons	&

Measurements

Depth	5.5 in (14 cm)
Height	6.3 in (16 cm)
Operating Temperature	32° to 104°F (0° to 40°C)
Product Weight	3 lbs (1.4 kg)
Width	6.1 in (15.5 cm)

Characteristics &

Features

3rd Party Control	Telnet	
Browser-based User Interface for Remote Control	Built-in	
Camera Type	PTZ	
Color	Black	
Compatible With	Vaddio	
Control Method	IR RemoteJoystickTelnetTouch ScreenWeb UI	
Estimated Room Size	Medium Room Small Room	
Field of View	74° Wide End to 7.6° Tele End	
Field of View Wide	Greater than 70	
Focus System	Auto Manual	
Gain	• Auto • Manual	
	Mariaai	
Image Sensor Type	1 28 Exmor CMOS	
Image Sensor Type Input Ports		
	1 28 Exmor CMOS • EasyMIC • Network	
Input Ports	1 28 Exmor CMOS • EasyMIC • Network • USB 3.0	
Input Ports Invertible	1 28 Exmor CMOS • EasyMIC • Network • USB 3.0	
Input Ports Invertible Manufacturer	1 28 Exmor CMOS • EasyMIC • Network • USB 3.0 Yes Vaddio	
Input Ports Invertible Manufacturer Max Resolution	1 28 Exmor CMOS • EasyMIC • Network • USB 3.0 Yes Vaddio 1080p 60	

OneLINK Compatibility	No	
Output Ports	AudioIP StreamingNetwork	
	• USB 3.0 Type B	
Pan and Tilt Range	• Tilt: +90· to -30° • Pan: ±162°	
Pan and Tilt Speed	0.35°/sec - 90°/sec	
Pixels	2.14 Megapixel	
Power Cord	EU Cord, UK Cord	
Power Supply	PoE+	
Power Type	PoE+	
Preset Positions	16 Custom Home Position	
PTZ Motors	Stepper Motors	
Quick-Connect Compatibility	No	
Signal Type	AudioIP StreamingUSB 2.0USB 3.0	
Solution Type	Camera OnlyConference Room System	
Speaker	None	
TAA Compliant	Yes	
Tri-Sync Motion	No	
White Balance	AutoManualOne Push	
Zoom	10x	

Certifications &	Certifications	• CE
Warranties		Certified for BarcoClickShare ConferenceFCCTAA
		• UL Listed
	Warranty	3 years

Source:

https://www.legrandav.com/products/cameras/videoconferencing_ptz_camera/conferenceshot-av/999-9995-001b