



# KRAMER

## 900N

Stereo Power Amplifier (10 Watts per Channel)

| Speakers



The 900N is a highperformance power amplifier for balanced or unbalanced stereo audio signals. Either input can deliver a speaker output of 10 watts RMS power per channel into a 4 load

## FEATURES

High Efficiency - Class D operation

S/N Ratio - 55dB

Controls - Volume knob, On LED

Special Note - Before turning on the 900N, make sure the volume is turned down to the minimum

Compact Kramer TOOLS™ - 3 units can be rack mounted sidebyside in a 1U rack space with the optional RK3T rack adapter



# KRAMER

## TECHNICAL SPECIFICATIONS

---

INPUTS:	1 unbalanced stereo audio on RCA connectors; 1 balanced stereo audio on a 5pin terminal block connector
OUTPUT:	1 stereo loudspeaker output on a 4pin terminal block connector
OUTPUT POWER:	10W RMS per channel into a 4 load
OUTPUT MUSIC POWER:	35W RMS per channel into a 4 load
BANDWIDTH (-3dB):	24kHz
S/N RATIO:	55dB
CONTROLS:	Gain: -40dB to +19dB until the compression threshold
COUPLING:	Input: AC; speakers out: DC
AUDIO THD + NOISE:	0.5% @1kHz
AUDIO 2nd HARMONIC:	0.04% @1kHz
POWER CONSUMPTION:	12V DC, 2.1A
PRODUCT DIMENSION:	12.00cm x 7.15cm x 2.44cm (4.72" x 2.81" x 0.96" ) W, D, H
PRODUCT WEIGHT:	0.2kg (0.4lbs) approx
SHIPPING DIMENSION:	23.20cm x 12.00cm x 8.90cm (9.13" x 4.72" x 3.50" ) W, D, H
SHIPPING WEIGHT:	0.6kg (1.3lbs) approx
INCLUDED ACCESSORIES:	Power supply, mounting bracket
OPTIONS:	RK3T 19" rack adapter

